



BAT-1000

BAT-1000 Wet Saw

- 520mm Cutting Length
- 1 hp Motor
- 200mm Blade
- For Cutting Porcelain, Ceramics, Marble and Granite
- Straight, 45° Bevel Cuts
- Plastic Water Tray
- Folding Legs
- Heavy Duty Water Pump

Blade Diameter	Bore Size	Cutting Thickness	Cutting Thickness 45°	Length of Cut	Width of Cut	Diagonal Cut	Clearance	Max. Thickness	Blade Down
ø 200mm	ø 25.4mm	30mm	25mm	520mm	∞	420 x 420mm	N/A	30mm	520mm

◇ Maximum length of cut on a 10mm tile with the blade fully lowered.

BAT-1000

1




- For Cutting Porcelain, Ceramics, Marble and Granite
- Straight, 45° Bevel and Plunge Cuts
- Removable Aluminium Tables
- Folding Legs
- Heavy Duty Water Pump

RAI-EXP70-15

Raimondi Exploit 70 MY15

- 700mm Cutting Length
- 0.9 hp Motor
- 200mm Blade
- 34 Kg Dry Weight



Blade Diameter	Bore Size	Cutting Thickness	Length of Cut	Width of Cut	Diagonal Cut	Clearance	Max. Thickness	Blade Down
ø 200mm	ø 25.4mm	45mm	700mm	∞	490 x 490mm	20mm	45mm	610mm

◇ Maximum length of cut on a 10mm tile with the blade fully lowered.

RAI-EXP70-15

Image	Code	Description
1	RAI-EXWHK	Raimondi Wheels & Handles Kit
2	RAI-SS4590R	Raimondi Sliding Square 45/90° - Right

RAI-BOLT90**Raimondi Bolt 90**

- 900mm Cutting Length
- 1.5 hp Motor
- 250mm Blade
- 46 Kg Dry Weight

RAI-BOLT120**Raimondi Bolt 120**

- 1200mm Cutting Length
- 1.5 hp Motor
- 250mm Blade
- 50 Kg Dry Weight

RAI-BOLT150**Raimondi Bolt 150**

- 1500mm Cutting Length
- 1.5 hp Motor
- 250mm Blade
- 54 Kg Dry Weight

- For Cutting Porcelain, Ceramics, Marble and Granite
- Straight, 45° Bevel and Plunge Cuts
- Removable Aluminium Tables
- Folding Legs
- Coated Metal Frame
- Heavy Duty Water Pump
- Adjustable Guide & 45/90 Square



	Blade Diameter	Bore Size	Cutting Thickness	Length of Cut	Width of Cut	Diagonal Cut	Clearance	Max. Thickness	Blade Down
RAI-BOLT90	ø 250mm	ø 25.4mm	55mm	900mm	∞	630 x 630mm	25mm	55mm	780mm
RAI-BOLT120	ø 250mm	ø 25.4mm	55mm	1200mm	∞	850 x 850mm	25mm	55mm	1080mm
RAI-BOLT150	ø 250mm	ø 25.4mm	55mm	1500mm	∞	1050 x 1050mm	25mm	55mm	1380mm

◇ Maximum length of cut on a 10mm tile with the blade fully lowered.

2



Accessories

Image	Code	Description
1	RAI-EXWHK	Raimondi Wheels & Handles Kit
2	RAI-SS4590R	Raimondi Sliding Square 45/90° - Right
3	RAI-SS4590	Raimondi Sliding Square 45/90° - Left
4	RAI-ESSPZ	Raimondi Extension Side Square - Large



- For Cutting Porcelain, Ceramics, Marble and Granite
- Straight, 45° Bevel and Plunge Cuts
- Removable Aluminium Tables
- Folding Legs
- Coated Metal Frame
- Heavy Duty Water Pump
- Adjustable Guide & 45/90 Square

RAI-MISTRAL90

Raimondi Mistral 90

- 900mm Cutting Length
- 3 hp Motor
- 350mm Blade
- 60 Kg Dry Weight

RAI-MISTRAL120

Raimondi Mistral 120

- 1200mm Cutting Length
- 3 hp Motor
- 350mm Blade
- 65 Kg Dry Weight




RAI-MISTRAL150


Raimondi Mistral 150

- 1500mm Cutting Length
- 3 hp Motor
- 350mm Blade
- 69 Kg Dry Weight


3




Blade Diameter




Bore Size




Cutting Thickness




Length of Cut




Width of Cut




Diagonal Cut



Clearance



Max. Thickness




Blade Down


◇ Maximum length of cut on a 10mm tile with the blade fully lowered.

RAI-MISTRAL90	Ø 350mm	Ø 25.4mm	100mm	900mm	∞	630 x 630mm	30mm	100mm	650mm
RAI-MISTRAL120	Ø 350mm	Ø 25.4mm	100mm	1200mm	∞	850 x 850mm	30mm	100mm	950mm
RAI-MISTRAL150	Ø 350mm	Ø 25.4mm	100mm	1500mm	∞	1050 x 1050mm	30mm	100mm	1250mm

Accessories




1



2



3



4

Image	Code	Description
1	RAI-EXWHK	Raimondi Wheels & Handles Kit
2	RAI-SS4590R	Raimondi Sliding Square 45/90° - Right
3	RAI-SS4590	Raimondi Sliding Square 45/90° - Left
4	RAI-ESSPZ	Raimondi Extension Side Square - Large

RAI-PIK85A**Raimondi Pikus 85 Advanced**

- 850mm Cutting Length
- 1.5 hp Motor
- 250mm Blade
- 60 Kg Dry Weight

**RAI-PIK105A****Raimondi Pikus 105 Advanced**

- 1050mm Cutting Length
- 1.5 hp Motor
- 250mm Blade
- 64 Kg Dry Weight

**RAI-PIK130A****Raimondi Pikus 130 Advanced**

- 1300mm Cutting Length
- 1.5 hp Motor
- 250mm Blade
- 78 Kg Dry Weight



- For Cutting Porcelain, Ceramics, Marble and Granite
- Straight, 45° Bevel and Plunge Cuts
- Removable Aluminium Tables
- Telescopic Legs
- Plastic Water Tray
- Heavy Duty Water Pump
- Adjustable Guide & 45/90 Square

	Blade Diameter	Bore Size	Cutting Thickness	Cutting Thickness 45°	Length of Cut	Width of Cut	Diagonal Cut	Clearance	Max. Thickness	Blade Down
--	-------------------	--------------	----------------------	--------------------------	------------------	-----------------	-----------------	-----------	-------------------	------------

RAI-PIK85A	ø 250mm	ø 25.4mm	80mm	55mm	850mm	∞	600 x 600mm	70mm	150mm	730mm
RAI-PIK105A	ø 250mm	ø 25.4mm	80mm	55mm	1050mm	∞	750 x 750mm	70mm	150mm	930mm
RAI-PIK130A	ø 250mm	ø 25.4mm	80mm	55mm	1300mm	∞	900 x 900mm	70mm	150mm	1180mm

◇ Maximum length of cut on a 10mm tile with the blade fully lowered.

4


Accessories

Image	Code	Description
1	RAI-FETPIK75	Raimondi Folding Extension Tables & 90° Sliding Square
2	RAI-PZ85THD	Raimondi Tile Holding Device - Suit RAI-PIK85A
2	RAI-PZ10THD	Raimondi Tile Holding Device - Suit RAI-PIK105A
2	RAI-PZ13THD	Raimondi Tile Holding Device - Suit RAI-PIK130A
3	RAI-SS90	Raimondi Sliding Square 90°
4	RAI-SS4590	Raimondi Sliding Square 45/90° - Left
5	RAI-SS4590PZ	Raimondi Sliding Square 45/90° - Right
6	RAI-ESSPZ	Raimondi Extension Side Square - Large
7	RAI-RETZOE5	Raimondi 5 Roller Extension Table
-	RAI-RETZOE10	Raimondi 10 Roller Extension Table (Image Not Shown)
8	RAI-ESSSA80	Raimondi Extension Side Square - Small





- For Cutting Porcelain, Ceramics, Marble and Granite
- Straight, 45° Bevel and Plunge Cuts
- Removable Aluminium Tables
- Telescopic Legs
- Plastic Water Tray
- Heavy Duty Water Pump
- Adjustable Guide & 45/90 Square



RAI-ZOE85A

Raimondi Zoe 85 Advanced

- 850mm Cutting Length
- 3 hp Motor
- 360mm Blade
- 80 Kg Dry Weight

RAI-ZOE105A

Raimondi Zoe 105 Advanced

- 1050mm Cutting Length
- 3 hp Motor
- 360mm Blade
- 84 Kg Dry Weight

RAI-ZOE130A

Raimondi Zoe 130 Advanced

- 1300mm Cutting Length
- 3 hp Motor
- 360mm Blade
- 98 Kg Dry Weight

RAI-ZOE155A

Raimondi Zoe 155 Advanced

- 1550mm Cutting Length
- 3 hp Motor
- 360mm Blade
- 106 Kg Dry Weight

5

	Blade Diameter	Bore Size	Cutting Thickness	Cutting Thickness 45°	Length of Cut	Width of Cut	Diagonal Cut	Clearance	Max. Thickness	Blade Down
--	-------------------	--------------	----------------------	--------------------------	------------------	-----------------	-----------------	-----------	-------------------	------------

RAI-ZOE85A	ø 360mm	ø 25.4mm	120mm	80mm	850mm	∞	600 x 600mm	180mm	240mm	600mm
RAI-ZOE105A	ø 360mm	ø 25.4mm	120mm	80mm	1050mm	∞	750 x 750mm	180mm	240mm	800mm
RAI-ZOE130A	ø 360mm	ø 25.4mm	120mm	80mm	1300mm	∞	900 x 900mm	180mm	240mm	1050mm
RAI-ZOE155A	ø 360mm	ø 25.4mm	120mm	80mm	1550mm	∞	1090 x 1090mm	180mm	240mm	1300mm

◇ Maximum length of cut on a 10mm tile with the blade fully lowered.

Accessories




Image	Code	Description
1	RAI-FETPIK75	Raimondi Folding Extension Tables & 90° Sliding Square
2	RAI-PZ85THD	Raimondi Tile Holding Device - Suit RAI-ZOE85A
2	RAI-PZ10THD	Raimondi Tile Holding Device - Suit RAI-ZOE105A
2	RAI-PZ13THD	Raimondi Tile Holding Device - Suit RAI-ZOE130A
2	RAI-PZ15THD	Raimondi Tile Holding Device - Suit RAI-ZOE155A
3	RAI-SS90	Raimondi Sliding Square 90°
4	RAI-SS4590	Raimondi Sliding Square 45/90° - Left
5	RAI-SS4590PZ	Raimondi Sliding Square 45/90° - Right
6	RAI-ESSPZ	Raimondi Extension Side Square - Large
7	RAI-RETZOE5	Raimondi 5 Roller Extension Table
-	RAI-RETZOE10	Raimondi 10 Roller Extension Table (Image Not Shown)
8	RAI-ESSA80	Raimondi Extension Side Square - Small

RAI-CM150M

Raimondi CM150 Manual

- 1500mm Cutting Length
- 2.8 hp Motor
- 300mm Blade
- 150 Kg Dry Weight



- For Cutting Porcelain, Ceramics, Marble and Granite
- Straight, 45° Bevel and Plunge Cuts
- Precision Depth Adjustment
- Removable Legs
- Rigid Steel Construction
- Super Heavy Duty Water Pump
- Fixed Guide & Adjustable Square

Blade Diameter	Bore Size	Cutting Thickness	Cutting Thickness 45°	Length of Cut	Width of Cut	Diagonal Cut	Clearance	Max. Thickness	Blade Down
RAI-CM150M ø 300mm ø 350mm	ø 25.4mm	80mm 105mm	55mm 75mm	1500mm	∞	1060 x 1060mm	30mm 20mm	125mm	1500mm

◇ Maximum length of cut on a 10mm tile with the blade fully lowered.

6

Accessories




Image	Code	Description
1	RAI-CM150EB	Raimondi Extension Bench with Full Length Sliding Square
2	RAI-CM150THD	Raimondi Tile Holding Device
3	RAI-CM150EB45	Raimondi Sliding 45° Square for Extension Bench
4	RAI-CM150SS	Raimondi Set Square
5	RAI-ESSA80	Raimondi Extension Side Square - Small
6	RAI-RETZOE5	Raimondi 5 Roller Extension Table
7	RAI-RETZOE10	Raimondi 10 Roller Extension Table



RAI-CM150A

Raimondi CM150 Auto

- 1500mm Cutting Length
- 2.8 hp Motor
- 300mm Blade
- 265 Kg Dry Weight



- For Cutting Porcelain, Ceramics, Marble and Granite
- Straight, 45° Bevel and Plunge Cuts
- Removable Aluminium Tables
- Removable Legs
- Plastic Water Tray
- Heavy Duty Water Pump
- Adjustable Guide & 45/90 Square
- Automated Cutting Process
- 5 Speed Motor Tracking



 Blade Diameter	 Bore Size	 Cutting Thickness	 Cutting Thickness 45°	 Length of Cut	 Width of Cut	 Diagonal Cut	 Clearance	 Max. Thickness	 Blade Down
ø 300mm	ø 30mm	80mm	55mm	1500mm	∞	1060 x 1060mm	0mm	90mm	1500mm

◇ Maximum length of cut on a 10mm tile with the blade fully lowered.

Accessories





Image	Code	Description
1	RAI-CM150EB	Raimondi Extension Bench with Full Length Sliding Square - Suit CM150
2	RAI-CM150THD	Raimondi Tile Holding Device - Suit RAI-CM150
3	RAI-CM150EB45	Raimondi Sliding 45° Square for Extension Bench - Suit RAI-CM150EB
4	RAI-CM150SS	Raimondi Set Square - Suit RAI-CM150
5	RAI-ESSA80	Raimondi Extension Side Square - Small
6	RAI-RETZOE5	Raimondi 5 Roller Extension Table
7	RAI-RETZOE10	Raimondi 10 Roller Extension Table


RAI-CM180A

Raimondi CM180 Auto

- 1800mm Cutting Length
- 3 hp Motor
- 360mm Blade
- 450 Kg Dry Weight



- For Cutting Porcelain, Ceramics, Marble and Granite
- Straight, 45° Bevel and Plunge Cuts
- 1/2 Bullnose, Tread Grooves & Multiple Cuts
- Height Adjustable/Levelling Legs
- External Plastic Tank On Wheels
- Heavy Duty Water Pump
- Adjustable Guide & 45/90 Square
- Automated Cutting Process
- 5 Speed Motor Tracking



RAI-CM180A ø 360mm ø 30mm 120mm 65mm 1800mm ∞ 1250 x 1250mm 60mm 120mm 1800mm

◇ Maximum length of cut on a 10mm tile with the blade fully lowered.

8

Accessories



Image	Code	Description
1	RAI-CM180MDCK	Raimondi Multi Blade Housing & Extension Shaft - Suit CM180
2	RAI-CM180MDGK	Raimondi Multi Blade Flanges Kit - Suit RAI-CM180MDCK
3	RAI-CM150EB45	Raimondi Sliding 45° Square - Suit RAI-CM150EB
4	RAI-CM180THD	Raimondi Tile Holding Device - Suit RAI-CM180
5	RAI-ESSA80	Raimondi Extension Side Square - Small
6	RAI-RETZOE5	Raimondi 5 Roller Extension Table
7	RAI-RETZOE10	Raimondi 10 Roller Extension Table


RAI-MAXICUT

Raimondi Maxi-Cut

- 2000mm Cutting Length
- 3 hp Motor
- 300mm Blade
- 145 Kg Dry Weight



- For Cutting Porcelain, Ceramics, Marble and Granite
- Straight Cuts
- Removable Aluminium Tables
- Telescopic Legs
- Plastic Water Tank
- Heavy Duty Water Pump
- Adjustable Guide & 45/90 Square
- Wheel Operated Cutting Feed
- Equipped with Laser Line
- Two Sets of Blade Flanges (90mm Standard & 200mm for Max Rigidity)



RAI-MAXICUT Ø 300mm Ø 25.4mm 50mm N/A 2000mm ∞ 1400 x 1400mm N/A 50mm 2000mm

◇ Maximum length of cut on a 10mm tile with the blade fully lowered.

Accessories



Image	Code	Description
1	RAI-FETPIK75	Raimondi Folding Extension Tables & 90° Sliding Square
2	RAI-SS90	Raimondi Sliding Square 90°
3	RAI-SS4590	Raimondi Sliding Square 45/90° - Left
4	RAI-SS4590PZ	Raimondi Sliding Square 45/90° - Right
5	RAI-ESSPZ	Raimondi Extension Side Square - Large
6	RAI-RETZOE5	Raimondi 5 Roller Extension Table
-	RAI-RETZOE10	Raimondi 10 Roller Extension Table
7	RAI-ESSA80	Raimondi Extension Side Square - Small

RAI-SA80**Raimondi SA 80**

- 800mm Cutting Length
- 3 hp Motor
- 350mm Blade
- 77 Kg Dry Weight



- For Cutting Thicker Materials, Bricks, Pavers, Stones etc.
- From 120mm to 250mm Cutting Depth (Depending on the Specific Machine)
- Straight, 45° Bevel and Plunge Cuts
- Sliding Table
- Telescopic Legs
- Plastic Water Tray
- Heavy Duty Water Pump
- Various Guides and Accessories

RAI-SHERPA**Raimondi Sherpa**

- 700mm Cutting Length
- 3.3 hp Motor
- 630mm Blade
- 137 Kg Dry Weight



	Blade Diameter	Bore Size	Single Pass Thickness	Double Pass Thickness	Cutting Thickness 45°	Length of Cut	Width of Cut	Diagonal Cut	Clearance	Max. Thickness
RAI-SA80	ø 350mm	ø 25.4mm	120mm	170mm	65mm	800mm	600mm	500 x 500mm	170mm	170mm
RAI-SHERPA	ø 630mm	ø 30mm	250mm	250mm	130mm	700mm	600mm	490 x 490mm	110mm	250mm

◊ RAI-SHERPA
Maximum length
of cut is 700mm
for material up
to 140mm thick

Maximum length
of cut is 420mm
for material up
to 250mm thick

10

Accessories

Image	Code	Description
1	RAI-ESSA80	Raimondi Extension Side Square - Small
2	RAI-HANDSA09	Raimondi Handles - Suit RAI-SHERPA
3	RAI-SSSA80	Raimondi Adjustable Square - Suit RAI-SA80 & RAI-SHERPA
4	RAI-FPSA80	Raimondi Foot Pedal - Suit RAI-SA80
-	RAI-FPSHERPA	Raimondi Foot Pedal - Suit RAI-SHERPA (Image Not Shown)
5	RAI-EBSA80	Raimondi Extension Side Tables - Suit RAI-SA80

- For Cutting Porcelain, Ceramics, Marble and Granite
 - Straight, 45° Bevel
 - Folding Support Bench
 - Plastic Water Tray
 - No Water Pump
 - Adjustable Guide & 45/90° Square
 - **SIG-85G and SIG-85G1** (Accessories Image 1) are both optional items. They are not supplied with the machine.
- Allows For Unlimited Straight Cutting Length



SIG-9M2

Sigma 9M1 & Sigma 63A

- 550mm Cutting Length
- 1.5 hp Motor
- 250mm Blade
- 41 Kg (Including SIG-63A Stand)

SIG-10M9

Sigma 10M9

- 750mm Cutting Length
- 3 hp Motor
- 300mm Blade
- 63 Kg (Including SIG-62A Stand)

Blade	Bore	Cutting	Cutting	Length	Width	Diagonal
Diameter	Size	Thickness	Thickness 45°	of Cut	of Cut	Cut

SIG-9M2	ø 250mm	ø 30mm	60mm	50mm	550mm	550mm	400 x 400mm
SIG-10M9	ø 300mm	ø 30mm	80mm	70mm	750mm	750mm	500 x 500mm

¹ Maximum length of cut can be made unlimited by using the optional square

² Maximum width of cut is limited by the blade guard support.

11

Accessories



Image	Code	Description
1	SIG-85G1	Sigma Adjustable Square and Ruler Guide - Suit SIG-9M2
1	SIG-85G	Sigma Adjustable Square and Ruler Guide - Suit SIG-10M9
2	SIG-80A	Sigma Sliding Square 90° 330mm length - Suit SIG-9M2 & SIG-10M9
3	SIG-90F	Sigma Swivel Measurement Bar +45° 0° -45° - Suit SIG-9M2
3	SIG-90G	Sigma Swivel Measurement Bar +45° 0° -45° - Suit SIG-10M9
4	SIG-63A	Sigma Folding Support Bench - Suit SIG-9M2
4	SIG-62A	Sigma Folding Support Bench - Suit SIG-10M9
5	SIG-108615	Sigma Clamping Knob - Suit SIG-90F & G

RAI-BULLDOG

Raimondi Bulldog Adv

- 800mm Cutting Length
- (1200mm with Extensions)
- 1.5 hp Motor
- ½ Bullnose, 45° & 90° Wheels
- 75 Kg Dry Weight
- Supplied With 1 x RAI-BSW10R



RAI-BULLDOGM

Raimondi Bulldog Adv - Manual

- 1200mm Cutting Length
- 1.5 hp Motors
- ½ Bullnose, 45° & 90° Wheels
- 99 Kg Dry Weight
- Supplied With 1 x RAI-BSW10R




RAI-BULLDOGA

Raimondi Bulldog Adv - Auto

- 1200mm Cutting Length
- 1.5 hp Motor
- ½ Bullnose, 45° & 90° Wheels
- 149 Kg Dry Weight
- Supplied With 1 x RAI-BSW10R



- For Edge Profiling. Create a ½ Bullnose from 8mm to 30mm, 45° Bevel up to 15mm and 90° Edges up to 30mm
- Shaping (Rough), Finishing (Smooth) and Polishing Wheels
- Up To 1200mm Cutting Length (Optional Accessories Maybe Required)
- Manual and Automatic Options
- Connect Multiple Machines In-line for Improved Production (RAI-BULLDOG Version Only)
- Heavy Duty Water Pump
- Various Guides and Accessories
- Semi-Auto and Powered Auto Best Suited for Less Than 110mm Width Tiles. Optional Accessories Can Be Fitted To Automate up to 400mm Wide x 900mm Long



12

Accessories




Image Code	Description
1 RAI-BULLCP	Attachment Arms for Connecting Bulldog and Bi-Bulldog in Line
2 RAI-BULLSEPR	Side Extensions for RAI-BULLDOG
3 RAI-BULLTH80	Tile Table - Max 800mm x Less than 110mm - Suit Bulldog
3 RAI-BBTH120	Tile Table - Max 1200mm x Less than 110mm - Suit Machines with 1200mm Length
4 RAI-BULLTH80PL	Tile Table - Max 800mm x More than 110mm - Suit Bulldog
4 RAI-BBTH120PL	Tile Table - Max 1200mm x More than 110mm - Suit Machines with 1200mm Length
5 RAI-BULLSGSK	Side Guide / Support for Max Width of 600mm - Suit 800mm Tile Table
5 RAI-BIBULLSGSK	Side Guide / Support for Max Width of 600mm - Suit 1200mm Tile Table
6 RAI-BULLMFK	Manual Feed Kit for RAI-BULLDOG
7 RAI-BULLAFK	Automation Kit for RAI-BULLDOG

- For Edge Profiling. Create a ½ Bullnose from 8mm to 30mm, 45° Bevel up to 15mm and 90° Edges up to 30mm
- Shaping (Rough), Finishing (Smooth) and Polishing Wheels
- Up to 1200mm Cutting Length (Optional Accessories Maybe Required)
- Manual and Automatic Options
- Connect Multiple machines in-line for Improved Production (RAI-BIBULLDOG Version Only)
- Heavy Duty Water Pump
- Various Guides and Accessories
- Semi-Auto and Powered Auto Best Suited for Less Than 110mm Width Tiles. Optional Accessories Can Be Fitted To Automate up to 400mm Wide x 900mm Long



RAI-BIBULLDOG

Raimondi Bi-Bulldog Adv

- Double Motor Assembly
- 800mm Cutting Length
- (1200mm with Extensions)
- 1.5 hp Motor
- ½ Bullnose, 45° & 90° Wheels
- 110 Kg Dry Weight
- Supplied Without Profiling Wheels

RAI-BIBULLDOGM

Raimondi Bi-Bulldog Adv - Manual

- Double Motor Assembly
- 1200mm Cutting Length
- 1.5 hp Motors
- ½ Bullnose, 45° & 90° Wheels
- 152 Kg Dry Weight
- Supplied Without Profiling Wheels

RAI-BIBULLDOGA

Raimondi Bi-Bulldog Adv - Auto

- Double Motor assembly
- 1200mm Cutting Length
- 1.5 hp Motor
- ½ Bullnose, 45° & 90° Wheels
- 185 Kg Dry Weight
- Supplied Without Profiling Wheels

13

Accessories



Image	Code	Description
	1 RAI-BULLCP	Attachment Arms for Connecting Bulldog and Bi-Bulldog in line
	2 RAI-BULLSEPR	Side Extensions for RAI-BIBULLDOG
	3 RAI-BULLTH80	Tile Table - Max 800mm x Less Than 110mm - Suit all Bulldog Machines
	3 RAI-BBTH120	Tile Table - Max 1200mm x Less Than 110mm - Suit Machines with 1200mm Length
	4 RAI-BULLTH80PL	Tile Table - Max 800mm x More Than 110mm - Suit all Bulldog Machines
	4 RAI-BBTH120PL	Tile Table - Max 1200mm x More Than 110mm - Suit Machines with 1200mm Length
	5 RAI-BULLSGSK	Side Guide / Support for Max Width of 600mm - Suit 800mm Tile Table
	5 RAI-BIBULLSGSK	Side Guide / Support for Max Width of 600mm - Suit 1200mm Tile Table
	6 RAI-BIBULLMFK	Manual Feed Kit for RAI-BIBULLDOG
	7 RAI-BIBULLAFK	Automation Kit for RAI-BIBULLDOG

RAI-BSW(Size)R

Bulldog Milling / Shaping

- 1/2 Bullnose
- 8, 10, 15, 20 & 30mm Radius



RAI-BFW(Size)R

Bulldog Finishing / Smoothing


- 1/2 Bullnose
- 8, 10, 15, 20 & 30mm Radius



RAI-BPW(Size)R400

Bulldog Polishing 400 Grit

- 1/2 Bullnose
- 8, 10, 15, 20 & 30mm Radius



RAI-BPW(Size)R800

Bulldog Polishing 800 Grit

- 1/2 Bullnose
- 8, 10, 15, 20 & 30mm Radius



RAI-BPW(Size)R1500

Bulldog Polishing 1500 Grit

- 1/2 Bullnose
- 10, 15, 20 & 30mm Radius



RAI-BPW(Size)R1800

Bulldog Polishing 1800 Grit

- 1/2 Bullnose
- 10, 15, 20 & 30mm Radius



RAI-BPW(Size)R3500

Bulldog Polishing 3500 Grit

- 1/2 Bullnose
- 15, 20 & 30mm Radius



RAI-BSW45

Bulldog Milling / Shaping

- 45° Finish
- 15mm Face Height



RAI-BSWF

Bulldog Milling / Shaping

- 90° Finish
- 16 & 30mm Face Heights



RAI-BDBS

Bulldog Rubber Drum Holder

- For Finishing and Smoothing Bands



RAI-BDB100

Bulldog Finishing / Smoothing 100 Grit

- 90° Finish
- 38mm Face Height



RAI-BDB400

Bulldog Polishing 400 Grit

- 90° Finish
- 38mm Face Height



BAT-300**Economy Tile Cutter**

- 300mm Cutting Length
- 200 x 200mm Diagonal
- No Additional Guides or Accessories

**BAT-400****Economy Tile Cutter**

- 400mm Cutting Length
- 250 x 250mm Diagonal
- No Additional Guides or Accessories

**BAT-540****Trade Tile Cutter**

- 540mm Cutting Length
- Blow Moulded Carry Case
- 380 x 380mm Diagonal
- 0 to +60°

**BAT-640****Trade Tile Cutter**

- 640mm Cutting Length
- Blow Moulded Carry Case
- 450 x 450mm Diagonal
- 0 to +60°



15


Accessories

Image	Code	Description
1	BAT-540ASG	Adjustable Square and Ruler Guide - Suit BAT-540 & BAT-640
2	BAT-540SW	Spare Wheel to Suit BAT-540, BAT-640 & DWTN
3	BAT-300SW	Spare Wheel to Suit BAT-300 & BAT-400

TOP-480**Kaufmann Topline 480**

- 480mm Cutting Length
- 330 x 330mm Diagonal
- Adjustable Guide for 45° & 90° Cutting

**TOP-630****Kaufmann Topline 630**

- 630mm Cutting Length
- 440 x 440mm Diagonal
- Adjustable Guide for 45° & 90° Cutting

**TOP-720****Kaufmann Topline 720**

- 720mm Cutting Length
- 500 x 500mm Diagonal
- Adjustable Guide for 45° & 90° Cutting



16

Accessories

1



2



3

Image	Code	Description
1	TOP-720-ASG	Adjustable Square and Ruler Guide - Suit all Topline Series
2	TOP-SW	Spare Wheel to Suit all Topline Series - 22mm Diameter
3	TOP-AX	Spare Axle to Suit all Topline Series

BAT-XPRO60**Battipav X-Pro 600**

- 600mm Cutting Length
- 420 x 420mm Diagonal
- Max 15mm Tile Thickness
- -45° to 0 to +45° Adjustable Guide

**BAT-XPRO80****Battipav X-Pro 800**

- 800mm Cutting Length
- 560 x 560mm Diagonal
- Max 15mm Tile Thickness
- -45° to 0 to +45° Adjustable Guide

**BAT-XPRO100****Battipav X-Pro 1000**

- 1000mm Cutting Length
- 700 x 700mm Diagonal
- Max 15mm Tile Thickness
- -45° to 0 to +45° Adjustable Guide



17



Accessories

Image	Code	Description
	BAT-XPRO-60GB	Battipav XPro Guide Bar 60 - Suit BAT-XPRO60
	BAT-XPRO-80GB	Battipav XPro Guide Bar 80 - Suit BAT-XPRO80
	BAT-XPRO-10GB	Battipav XPro Guide Bar 100 - Suit BAT-XPRO100
	BAT-XPRO-CK	Battipav XPro Clamping Knob - Suit BAT-XPRO Guide Bars
	BAT-XPRO-60H	Battipav XPro Handle 50x6 - Suit BAT-XPRO 60
	BAT-XPRO-801H	Battipav XPro Handle 50x10 - Suit BAT-XPRO 80 & 100
	BAT-XPRO-SW	Battipav XPro Spare Wheel - ø15 x 6 x 1.5mm
	BAT-XPRO-SS	Battipav XPro Guide Bar Sliding Square
	BAT-XPRO-SB	Battipav XPro Slide Bar - Used with Guide Bar Sliding Square
	BAT-XPRO-BF	Battipav XPro Antiscratch Breaker Foot (image not shown)

SIG-2G

Sigma 2G Tile Cutter

- 370mm Cutting Length
- 260 x 260mm Diagonal
- Max 15mm Tile Thickness
- Scoring Wheel - SIG-14A
- Optional Scoring Wheels: SIG-14T (for Vitrified) & SIG-14M (for Mosaics)



Rubber Foot:
SIG-106731

SIG-39H
Chrome Guide Bar

SIG-90DG
Swivelling Calibrated Arm

SIG-19C
Sliding Square

SIG-108616
Clamping Knob

SIG-1079104
Clamping Knob Nut

SIG-24F
Complete Handle




Non-Marking Nylon Foot:
SIG-104039

SIG-2A

Sigma 2A3 Tile Cutter

- 510mm Cutting Length
- 350 x 350mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14A
- Optional Scoring Wheels: SIG-14T (for Vitrified) & SIG-14M (for Mosaics)



Rubber Foot:
SIG-106731

SIG-39D
Chrome Guide Bar

SIG-90D3
Swivelling Calibrated Arm

SIG-19B3
Sliding Square

SIG-108612
Clamping Knob

SIG-17D3
Calibrated Arm
Extension

SIG-24C
Complete Handle




Non-Marking Nylon Foot:
SIG-104032

SIG-2B

Sigma 2B3 Tile Cutter

- 660mm Cutting Length
- 460 x 460mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14A
- Optional Scoring Wheels: SIG-14T (for Vitrified) & SIG-14M (for Mosaics)



Rubber Foot:
SIG-106731

SIG-39E
Chrome Guide Bar

SIG-90D3
Swivelling Calibrated Arm

SIG-19B3
Sliding Square

SIG-108612
Clamping Knob

SIG-17D3
Calibrated Arm
Extension


SIG-24C
Complete Handle



Non-Marking Nylon Foot:
SIG-104032

Note: Other Parts And Accessories Are Available On Request





SIG-3G

Sigma 3G Tile Cutter

- 450mm Cutting Length
- 310 x 310mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14A
- Optional Scoring Wheels: SIG-14T (for Vitrified) & SIG-14M (for Mosaics)

SIG-39R
Chrome Guide Bar

SIG-90LF
Swivelling Calibrated Arm

SIG-20B
Guide Bar Ends

SIG-19D
Sliding Square


SIG-108621
Clamping Knob

SIG-1079104
Clamping Knob Nut

SIG-24E
Complete Handle



Non-Marking Nylon Foot:
SIG-104033



SIG-3L

Sigma 3L Tile Cutter

- 550mm Cutting Length
- 380 x 380mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14A
- Optional Scoring Wheels: SIG-14T (for Vitrified) & SIG-14M (for Mosaics)

SIG-39S
Chrome Guide Bar

SIG-90LA
Swivelling Calibrated Arm

SIG-20B
Guide Bar Ends

SIG-19D
Sliding Square


SIG-108621
Clamping Knob

SIG-1079104
Clamping Knob Nut

SIG-24E
Complete Handle



Non-Marking Nylon Foot:
SIG-104033



SIG-3B

Sigma 3B2 Tile Cutter

- 650mm Cutting Length
- 450 x 450mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14A
- Optional Scoring Wheels: SIG-14T (for Vitrified) & SIG-14M (for Mosaics)

SIG-39L
Chrome Guide Bar

SIG-90LB
Swivelling Calibrated Arm

SIG-20B
Guide Bar Ends

SIG-19D
Sliding Square

SIG-108621
Clamping Knob

SIG-1079104
Clamping Knob Nut

SIG-24E
Complete Handle

SIG-104064
Support Arm Left
(Optional)

SIG-104065
Support Arm Right
(Optional)




Non-Marking Nylon Foot:
SIG-104033


Note: Other Parts And Accessories Are Available On Request

SIG-3C**Sigma 3C2 Tile Cutter**

- 770mm Cutting Length
- 540 x 540mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14A
- Optional Scoring Wheels: SIG-14T (for Vitrified) & SIG-14M (for Mosaics)


SIG-39B
Chrome Guide BarSIG-90LC
Swivelling Calibrated ArmSIG-20B
Guide Bar EndsSIG-19D
Sliding SquareSIG-108621
Clamping KnobSIG-1079104
Clamping Knob NutSIG-24AE
Complete HandleSIG-104064
Support Arm LeftSIG-104065
Support Arm Right (Optional)**SIG-3D****Sigma 3D2 Tile Cutter**

- 950mm Cutting Length
- 670 x 670mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14A
- Optional Scoring Wheels: SIG-14T (for Vitrified) & SIG-14M (for Mosaics)

SIG-39N
Chrome Guide BarSIG-90LD
Swivelling Calibrated ArmSIG-20B
Guide Bar EndsSIG-19D
Sliding SquareSIG-108621
Clamping KnobSIG-1079104
Clamping Knob NutSIG-24AE
Complete HandleSIG-104064
Support Arm LeftSIG-104065
Support Arm Right (Optional)

Note: Other Parts And Accessories Are Available On Request





SIG-3BM

Sigma 3B3M "Max" Tile Cutter

- 605mm Cutting Length
- 427 x 427mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14MX

SIG-39L
Chrome Guide Bar

SIG-90LB
Swivelling Calibrated
Arm

SIG-20B
Guide Bar Ends

SIG-19D
Sliding Square

SIG-108621
Clamping Knob

SIG-1079104
Clamping Knob
Nut


SIG-24M08
Complete
Handle

SIG-104064
Support Arm
Left
(Optional)

SIG-104065
Support Arm
Right
(Optional)



Non-Marking Nylon Foot:
SIG-104058



SIG-3CM

Sigma 3C3M "Max" Tile Cutter

- 725mm Cutting Length
- 513 x 513mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14MX

SIG-39B
Chrome Guide Bar

SIG-90LC
Swivelling Calibrated
Arm

SIG-20B
Guide Bar Ends

SIG-19D
Sliding Square

SIG-108621
Clamping Knob

SIG-1079104
Clamping Knob
Nut


SIG-24M10
Complete
Handle

SIG-104064
Support Arm
Left

SIG-104065
Support Arm
Right
(Optional)



Non-Marking Nylon Foot:
SIG-104058



SIG-3DM

Sigma 3D3M "Max" Tile Cutter

- 905mm Cutting Length
- 640 x 640mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14MX

SIG-39N
Chrome Guide Bar

SIG-90LD
Swivelling Calibrated
Arm

SIG-20B
Guide Bar Ends

SIG-19D
Sliding Square

SIG-108621
Clamping Knob

SIG-1079104
Clamping Knob
Nut

SIG-24M10
Complete
Handle

SIG-104064
Support Arm
Left

SIG-104065
Support Arm
Right
(Optional)




Non-Marking Nylon Foot:
SIG-104058


Note: Other Parts And Accessories Are Available On Request

SIG-3PM**Sigma 3P3M "Max" Tile Cutter**


- 1005mm Cutting Length
- 710 x 710mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14MX

**SIG-3EM****Sigma 3E3M "Max" Tile Cutter**

- 1264mm Cutting Length
- 894 x 894mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14MX

**SIG-3FM****Sigma 3F3M "Max" Tile Cutter**

- 1514mm Cutting Length
- 1070 x 1070mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14MX



Note: Other Parts And Accessories Are Available On Request



SIG-4A**Sigma 4A Tile Cutter**

- 750mm Cutting Length
- 520 x 520mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14A
- Optional Scoring Wheel: SIG-14T (for Vitrified Tiles)

SIG-39B
Chrome Guide BarSIG-90
Swivelling Calibrated ArmSIG-20A
Guide Bar EndsSIG-19A
Sliding SquareSIG-92
Clamping KnobSIG-24AE
Complete HandleSIG-107954
Support Arm
LeftNon-Marking Nylon Foot:
SIG-104033**SIG-5B****Sigma 5B Tile Cutter**

- 620mm Cutting Length
- 430 x 430mm Diagonal
- Max 20mm Tile Thickness
- Scoring Wheel - SIG-14A
- Optional Scoring Wheel: SIG-14T (for Vitrified Tiles)

SIG-39A
Chrome Guide BarSIG-90C
Swivelling Calibrated ArmSIG-20
Guide Bar EndsSIG-19A
Sliding SquareSIG-92
Clamping KnobSIG-24E
Complete HandleNon-Marking Nylon Foot:
SIG-104033**SIG-6****Sigma 6 Tile Cutter**

- 350mm Cutting Length
- 250 x 250mm Diagonal
- Max 15mm Tile Thickness
- Scoring Wheel - SIG-14A
- Optional Scoring Wheels: SIG-14T (for Vitrified) & SIG-14M (for Mosaics)

SIG-39
Chrome Guide BarSIG-17
Calibrated Arm ExtensionSIG-20
Guide Bar EndsSIG-19
Sliding SquareSIG-24E
Complete HandleNon-Marking Nylon Foot:
SIG-104033**SIG-7F****Sigma 7F Tile Cutter**

- 370mm Cutting Length
- 260 x 260mm Diagonal
- Max 15mm Tile Thickness
- Scoring Wheel - SIG-14A
- Optional Scoring Wheels: SIG-14T (for Vitrified) & SIG-14M (for Mosaics)

SIG-39H
Chrome Guide BarSIG-19F
Sliding Square
(Optional)SIG-24F
Complete HandleNon-Marking Nylon Foot:
SIG-104039

Note: Other Parts And Accessories Are Available On Request

RAI-FREECUT150**Raimondi Free-Cut Starter Kit
1560mm Cutting Length**

- For Cutting Large Tiles / Panels
- 1 x 1700mm Guide Rail
- 1 x Separating Pliers (up to 6mm Thick)
- 1 x Guide Set Including Carry Case

**Raimondi Free-Cut Guide Set Contains:**

- 2 x Rail End Guides
- 1 x Scribing Mechanism - Incl. 12mm Scoring Wheel (RAI-FREECUT-SW)
- 1 x Small Pliers (RAI-FREECUT-SMP)

RAI-FREECUT-EB**Raimondi Free-Cut Extension Bar
1700mm**

- Connect To RAI-FREECUT150 to Allow a Total Cutting Length of 3260mm
- 1 x 1700mm Guide Rail



Pictured: 1 x RAI-FREECUT150 & 1 x FREECUT-EB

Cutting Length	Product / Products Used
1560mm	RAI-FREECUT150
2060mm	RAI-FREECUT200
3260mm	RAI-FREECUT150 & RAI-FREECUT-EB
3760mm	RAI-FREECUT200 & RAI-FREECUT-EB
4260mm	RAI-FREECUT200 & RAI-FREECUT-200EB

RAI-FREECUT200 Series: Cut up to 4260 mm (Check stock & availability before ordering)

RAI-FREECUT200**Raimondi Free-Cut Starter Kit
2060mm Cutting Length**

- Complete Kit Includes:
- 1 x 2200mm Guide Rail
- 1 x Separating Pliers (up to 6mm Thick)
- 1 x Guide Set Including Carry Case

RAI-FREECUT-200EB**Raimondi Free-Cut Extension Bar
2200mm Cutting Length**

- Connect To RAI-FREECUT150 to Allow a Total Cutting Length of 4260mm
- 1 x 2200mm Guide Rail



RAI-FREECUTSMP**Raimondi Free-Cut Small Pliers**

- For Use on Tiles/Panels from 3mm to 6mm Thick

**RAI-FREECUTLGP****Raimondi Free-Cut Large Pliers**

- For Use on Tiles/Panels from 6mm to 12mm

**RAI-FF90-INC****Raimondi Free-Flex 90° Cutting Kit**

- 850W 150mm Angle Grinder Included
- To Be Mounted On Free-Cut Guide Rail
- Plunge Cut Up To 25mm Depth
- Supplied With 150mm Continuous Blade

**RAI-FF90-EXC****Raimondi Free-Flex 90° Cutting Kit**

- Semi Universal Unit Attachment Suits Most Angle Grinders - 125mm to 150mm
- To Be Mounted On Free-Cut Guide Rail
- Plunge Cut Up To 25mm Depth

**RAI-FF3555-INC****Raimondi Free-Flex 35/55° Cutting Kit**

- 850W 150mm Angle Grinder Included
- To Be Mounted On Free-Cut Guide Rail
- 20mm Cut Depth - Adjustable 35° To 55°
- Supplied With 150mm Continuous Blade

**RAI-FF3555-EXC****Raimondi Free-Flex 35/55° Cutting Kit**

- Semi Universal Unit Attachment Suits Most Angle Grinders - 125mm to 150mm
- To Be Mounted On Free-Cut Guide Rail
- 20mm Cut Depth - Adjustable 35° To 55°



RAI-EASYMOVE3

Raimondi Easy-Move 3000

- Carry System for Panels up to 3000 x 1500
- 2 x 1370mm Guides
- 3 x Sliding Double Suction Cups



RAI-EASYMOVE-XB

Raimondi Easy-Move 3000

- 2 x 1370mm Cross Bars
- Used to join 2 x RAI-EASYMOVE3



RAI-EASYMOVE-DSC2

Raimondi Easy-Move 3000

- 2 x Double Suction Cups
- To be attached to RAI-EASYMOVE-XB



RAI-EASYMOVE3-2

Raimondi Easy-Move 3000

- Complete Carry System for Panels up to 3000 x 1500



RAI-EASYMOVE3-2 Consists of:

- 2 x RAI-EASYMOVE3 (4 x 1370mm Guides)
- 1 x RAI-EASYMOVE-XB (2 x 1370mm Cross Bars)
- 1 x RAI-EASYMOVE-DSC2 (2 x Double Suction Cups)





RAI-EASYMOVE3V

Raimondi Easy-Move 3000 Vacuum

- Carry System for Panels - 3000 x 1500
- 2 x 1370mm Guides
- 2 x Sliding Vacuum Suction Cups
- 1 x Guide Joiner



You Can Upgrade!

If you have the RAI-EASYMOVE3 and only need the vacuum suction cups. RAI-EASYMOVE3-UP3V

RAI-EASYMOVE-XB

Raimondi Easy-Move 3000 Vacuum

- 2 x 1370mm Cross Bars
- Used to join 2 x RAI-EASYMOVE3

RAI-EASYMOVE-SCV

Raimondi Easy-Move 3000 Vacuum

- 2 x Vacuum Suction Cups & Covers
- To be attached to RAI-EASYMOVE-XB



RAI-EASYMOVE3-2V

Raimondi Easy-Move 3000 Vacuum

- Complete Carry System for Panels up to 3000 x 1500
- Vacuum Suction Cups are the optimal choice for use on textured surfaces



RAI-EASYMOVE3-2V Consists of:

- 2 x RAI-EASYMOVE3V (4 x 1370mm Guides)
- 1 x RAI-EASYMOVE-XB (2 x 1370mm Cross Bars)
- 1 x RAI-EASYMOVE-SCV (2 x Vacuum Suction Cups)

RAI-CAM300

Raimondi Modular Trolley

- Modular Trolley for large format panels
- 24kg weight

- Lightweight Aluminium Construction
- Easy to assemble / dissassemble
- Telescopic safety hook
- Crossbar with Rubber protection
- Adjustable Easy-Move frame supports
- Lockable wheels



Large Panel on base board



Large Panel with Easy-Move resting on hooks

28

Lockable Wheels



Telescopic Safety Hook



Adjustable Supports



Rubber Protection





RAI-BM180

Raimondi Modular Bench

- 1800mm x 900mm Worktop
- 830mm Height
- 31 Kg Weight

- Easily Assembled
- Easily Transportable
- Adjustable Rubber Feet
- Adjustable Position of Selected Bench Rails
- Supplied With Joiner Piece to Allow Connecting Multiple Modular Benches



Disassembled



Connected: 2 x RAI-BM180

Joiners



Adjustable Bench Rail Positions



Quick Clamp Legs



RAI-RAICUT

Raimondi Grooving Tool

- Specialised Tool for RAI-FIX System
- 900 Watt Motor
- Supplied With RAI-DBCCT125

RAI-RAICUT-JIG

Raimondi Grooving Tool - Jig

- Specialised Tool for RAI-FIX System
- Not including Angle Grinder

RAI-RFH(Size)

Raimondi RAI-FIX Hook

- Small - Minimum 6mm Tile Thickness
- Medium - Minimum 8mm Tile Thickness

- Stainless Steel
- 6mm & 8mm Anchor Holes
- Recommended Usage:

Tile	Hooks
600 x 600	1
900 x 900	2
1200 x 1200	3

Raimondi RAI-FIX is a Mechanical Fixing System for Wall Installation of Tiles and Slabs.

To be Used in Addition to the Recommended Adhesive System. (Not as a Replacement for Correct Adhesive use)



- Vacuum Attachment
- Adjustable Depth Stop
- Vacuum Attachment



Code	Description
RAI-RAICUT	Raimondi RAI-CUT Complete Grooving Tool
RAI-RFH6120	Raimondi RAI-FIX Hook - For Tiles > 6mm - 120 pcs
RAI-RFH6500	Raimondi RAI-FIX Hook - For Tiles > 6mm - 500 pcs
RAI-RFH870	Raimondi RAI-FIX Hook - For Tiles > 8mm - 70 pcs
RAI-RFH8120	Raimondi RAI-FIX Hook - For Tiles > 8mm - 120 pcs
RAI-RFH8500	Raimondi RAI-FIX Hook - For Tiles > 8mm - 500 pcs
RAI-DBCCT125	Raimondi Diamond Blade - Turbo Rim - 125mm (Not Shown)

